

## DEFINITIONS

**RESISTANCE FACTOR.** See Section 1602.1.

**RESTRAINT [SFM]** shall mean the physical retention of a person within a room, cell or cell block by any means, or within the exterior walls of a building by means of locked doors inoperable by the person restrained. "Restraint" shall also mean the physical binding, strapping or similar restriction of any person in a chair, walker, bed or other contrivance for the purpose of deliberately restricting the free movement of ambulatory persons.

"Restraint" shall not be construed to include nonambulatory persons nor shall it include the use of bandage material, strip sheeting or other fabrics or materials (soft ties) used to restrain persons in hospital-type beds or wheelchairs to prevent injury, provided an approved method of quick release is maintained. Facilities employing the use of soft ties, however, shall be classified as a building used to house nonambulatory persons.

"Restraint" shall not be practiced in licensed facilities classified as Group I-1, R-3.1 and R-4 occupancies unless constructed as a Group I-3 occupancy. For Group I-3 occupancies see Section 308.2.

**RESTRICTED ENTRANCE [HCD 1, HCD 2 & HCD 1-AC]** is an entrance that is made available for common use on a controlled basis, but is not public use, and that is not a service entrance.

**RETRACTABLE AWNING.** See Section 3105.2.

**RISER. [DSA-AC, HCD 1 & HCD 2]** See Chapter 11A, Section 1107A.18-R, and Chapter 11B, Section 1102B.

**ROOF ASSEMBLY.** See Section 1502.1.

**ROOF COVERING.** See Section 1502.1.

**ROOF COVERING SYSTEM.** See Section 1502.1.

**ROOF DECK.** See Section 1502.1.

**ROOF RECOVER.** See Section 1502.1.

**ROOF REPAIR.** See Section 1502.1.

**ROOF REPLACEMENT.** See Section 1502.1.

**ROOF VENTILATION.** See Section 1502.1.

**ROOFTOP STRUCTURE.** See Section 1502.1.

**RUBBLE MASONRY.** See Section 2102.1.

**Coursed rubble.** See Section 2102.1.

**Random rubble.** See Section 2102.1.

**Rough or ordinary rubble.** See Section 2102.1.

**RUNNING BOND.** See Section 2102.1.

**RUNNING SLOPE. [DSA-AC]** See Chapter 11B, Section 1102B.

**SANITARY FACILITY [DSA-AC, HCD 1 & HCD 2]** is any single water closet, urinal, lavatory, bathtub or shower, or a combination thereof, together with the room or space in which they are housed.

**SCISSOR STAIR.** See Section 1002.1.

**SCUPPER.** See Section 1502.1.

**SEISMIC DESIGN CATEGORY.** See Section 1613.2.

**SEISMIC-FORCE-RESISTING SYSTEM.** See Section 1613.2.

**SELF-CLOSING.** See Section 702.1.

**SELF-LUMINOUS.** See Section 1002.

**[F] SERVICE CORRIDOR.** See Section 415.2.

**SERVICE ENTRANCE [HCD 1-AC]** is an entrance intended primarily for the delivery of goods or services.

**SHAFT.** See Section 702.1.

**SHAFT ENCLOSURE.** See Section 702.1.

**SHALL [DSA-AC]** as used in this code means mandatory.

**SHEAR WALL.** See Sections 2102.1 and 2302.1.

**Detailed plain masonry shear wall.** See Section 2102.1.

**Intermediate prestressed masonry shear wall.** See Section 2102.1.

**Intermediate reinforced masonry shear wall.** See Section 2102.1.

**Ordinary plain masonry shear wall.** See Section 2102.1.

**Ordinary plain prestressed masonry shear wall.** See Section 2102.1.

**Ordinary reinforced masonry shear wall.** See Section 2102.1.

**Perforated shear wall.** See Section 2302.1.

**Perforated shear wall segment.** See Section 2302.1.

**Special prestressed masonry shear wall.** See Section 2102.1.

**Special reinforced masonry shear wall.** See Section 2102.1.

**SHELL.** See Section 2102.1.

**SHOPPING CENTER (or SHOPPING MALL). [DSA-AC & HCD 2]** See Chapter 11B, Section 1102B.

**SHOULD. [DSA-AC, HCD 1 & HCD 2]** See "Recommend."

**SIDEWALK [DSA-AC & HCD 1-AC]** is a surfaced pedestrian way contiguous to a street used by the public. (As differentiated from the definition of "Walk" in Chapter 11A, Section 1107A.23-W, and Chapter 11B, Section 1102B.)

**SIGNAGE [DSA-AC]** is displayed verbal, symbolic, tactile, and/or pictorial information.

**SINGLE-ACCOMMODATION SANITARY FACILITY [DSA-AC, HCD 1 & HCD 2]** is a room that has not more than one of each type of sanitary fixture, is intended for use by only one person at a time, has no partition around the toilet and has a door that can be locked on the inside by the room occupant.

**SINGLE-PLY MEMBRANE.** See Section 1502.1.

**[F] SINGLE-STATION SMOKE ALARM.** See Section 902.1.