

- Electrical metallic tubing, 358.12(1)
- Electrical nonmetallic tubing, 362.12(10)
- Emergency system, 517.30(C)(3)
- Lamps, electric discharge lighting, 410.85
- Lighting track, 410.101(C)(1)
- Liquidtight flexible metal conduit, 350.12(1)
- Liquidtight flexible nonmetallic conduit, 356.12(1)
- Luminaires (fixtures) in indoor sports, mixed-use, and all-purpose facilities, 410.4(E)
- Metal-clad cable, 300.42, 330.12
- Mineral-insulated metal-sheathed cable, 332.10(10)
- Multioutlet assembly, 380.2(B)(2)
- Nonmetallic-sheathed cable, 334.15(B)
- Open conductors and cables, 230.50
- Open wiring, 398.15(A) and (C)
- Overcurrent devices, 240.24(C)
- Raceways, 300.5(D)(4), 300.50(B)
- Recreational vehicle park underground branch circuits and feeders, 551.80(B)
- Remote-control circuits, 725.11(B)
- Resistors and reactors, 470.18(A)
- Rigid nonmetallic conduit, 352.12(C)
- Space heating systems, 424.12(A)
- Surface raceways, 386.12(1), 388.12(2)
- Transformers, 450.8(A)
- UF cable, 340.12(10)
- Underground installations, 230.49, 300.5(D) and (J)
- Wireways, 376.12(1), 378.12(1)
- Protective devices.** *see* Arc-fault circuit interrupters; Circuit breakers; Fuses; Ground-fault circuit interrupters; Overcurrent protection; Thermal cutouts
- Protective equipment** *see* Guarding, guards
- Protector, communications systems.** *see* Communications circuits
- Public address systems, Art. 640**
 - Emergency power systems, 700.1 FPN 3
- Public assembly places, Art. 518**
 - Emergency lighting system, Art. 700
- Pull boxes.** *see also* Boxes; Junction boxes
 - Accessibility, 314.29
 - Construction specifications, 314.72, 314-III
 - Gutters, auxiliary, used as, 366.58(B)
 - Nonmetallic wireways used as, 378.23(B)
 - Over 600 volts, 314-IV
 - Sizes
 - 4 AWG and larger conductors, 314.28(A)
 - 6 AWG and smaller conductors, 314.16
 - Over 600 volts, 314.71
- Pumps.** *see also* Fire pumps
 - Canned, Class I hazardous (classified) locations, 501.15(F)(3), 505.16(E)(3)
 - Pool
 - Double insulated, 680.21(B), 680.31
 - Storable pools, 680.31
- Q-**
- Qualified person.** *see* Person, qualified
- R-**
- Raceways**
 - Adjustment factors for more than three current-carrying conductors in raceway, Table B.310.11
 - Bonding, 250-V, 501.30(A), 502.30(A), 503.30(A), 505.25(A)
 - Busways. *see* Busways
 - CATV coaxial cable, 820.110, 820.133(A) and (C), 820.154(B) and (D)
 - Cellular concrete floor. *see* Cellular concrete floor raceways
 - Cellular metal floor. *see* Cellular metal floor raceways
 - Communications circuits, 800.110, 800.133(A)(1), 800.154(B) and (E), 800.182
 - Conductors in service, 230.7
 - Continuity, 300.10, 300.12
 - Cords, flexible, installed in, 400.14
 - Definition, Art. 100-I
 - Drainage, 225.22, 230.53
 - Electrical metallic tubing (Type EMT). *see* Electrical metallic tubing (Type EMT)
 - Electrical nonmetallic tubing (Type ENT). *see* Electrical nonmetallic tubing (Type ENT)
- Emergency circuits, independent, 700.9(B)
- Expansion joints, 250.98, 300.7(B), 352.44
- Exposed to different temperatures, 300.7
- Flexible metal conduit (Type FMC). *see* Flexible metal conduit (Type FMC)
- Flexible metallic tubing (Type FMT). *see* Flexible metallic tubing (Type FMT)
- Grounding, 250.132, 250-IV
 - Short sections, 250.86 Ex. 2, 250.132
- Induced currents, 300.20
- Installed in shallow grooves, 300.4(E)
- Insulating bushings, 300.4(F), 300.16(B)
- Intermediate metal conduit (Type IMC). *see* Intermediate metal conduit (Type IMC)
- Liquidtight flexible metal conduit (Type LFMC). *see* Liquidtight flexible metal conduit (Type LFMC)
- Liquidtight flexible nonmetallic conduit (Type LFNC). *see* Liquidtight flexible nonmetallic conduit (Type LFNC)
- Luminaires (fixtures) as, 410.31
- Network-powered broadband communications cables, 830.133(A)(1), 830.154(C) and (D)
- Number of conductors, 300.17 *see also* Conductor fill
- Optical fiber cable, 770.6, 770.12, 770.182(A) through (G)
- Pliable, 362.2
- Rigid metal conduit (Type RMC). *see* Rigid metal conduit (Type RMC)
- Rigid nonmetallic conduit (Type RNC). *see* Rigid nonmetallic conduit (Type RNC)
- Secured, 300.11(A)
- Service. *see* Service raceways
- Signaling Class I circuits, 725.26, 725.28
- Strut-type channel. *see* Strut-type channel raceway
- Support for nonelectrical equipment, 300.11(B)
- Supporting conductors, vertical, 300.19
- Surface metal. *see* Surface metal raceways
- Surface nonmetallic. *see* Surface nonmetallic raceways
- Underfloor. *see* Underfloor raceways
- Underground, 300.5(C)(4), 300.50
- Wireways. *see* Wireways, metal; Wireways, nonmetallic
- Wiring, exterior surfaces of buildings, 225.22
- Radiant heating panels and radiant heating sets.** *see* Fixed electric space heating equipment
- Radio and television equipment, Art. 810.** *see also* Community antenna television and radio distribution (CATV) systems
 - Amateur transmitting and receiving stations, 810-III
 - Community television antenna, 810.4
 - Definitions, 810.2
 - Interior installation — transmitting stations, 810-IV
 - Noise suppressors, 810.5
 - Receiving equipment ¾ antenna systems, 810-II
- Radiographic equipment.** *see* X-ray equipment
- Railway conductors, power and light, 110.19**
- Rainproof**
 - Definition, Art. 100-I
- Raintight**
 - Definition, Art. 100-I
- Ranges, 422.16(B)(3), 422.33(B).** *see also* Cooking unit, counter-mounted; Ovens, wall-mounted
 - Branch circuits, 210.19(A)(3)
 - Calculation of load, 220.55, Table 220.55
 - Conductors, 210.19
 - Maximum load, 220.18
 - Feeders, calculation of load, 220.40, 220.82(B)(3)
 - Grounding, 250.140
 - Hoods, cord-and-plug connected, 422.16(B)(4)
 - Loads, demand factors and, Table 220.55
 - Mobile homes, 550.15(E), 550.16(A)(1)
 - Receptacles, 250.140(4)
- Rated load current, 440.4(A)**
 - Definition, 440.2
- Reactors.** *see* Resistors and reactors
- Readily accessible.** *see* Accessible, readily
- Reaming, ends of metal conduits, 342.28, 344.28, 358.28**
- Re-bar electrodes, 250.50 Ex., 250.52(A)(3)**
- Receptacles, cord connectors, and attachment plugs (caps), Art. 406**
 - Anesthetizing locations, 517.64(F)
 - Branch circuits, 210.7, 210.52
 - Configurations, 550.10(C), 551.46(C), 552.44(C)
 - Critical branch, 517.33(A)
 - Definition, Art. 100-I
 - Disconnecting means, 422.33, 440.63