

FIGURE A-II-E-1 - (Continued)

PART B - HAZARDOUS MATERIALS INVENTORY STATEMENT
SECTION III: SEPARATION, SECONDARY CONTAINMENT AND MONITORING
PART A - ABOVE-GROUND STORAGE AREAS

Storage Area Identification (as shown on facility map): _____

1. Storage Type:

- | | |
|--|-----------------------|
| _____ Original Containers | _____ Safety Cans |
| _____ Inside Machinery | _____ Bulk Tank |
| _____ 55-gallon (208.2 L)
Drums or Storage Shed | _____ Outside Barrels |
| _____ Pressurized Vessel | |
| _____ Other: _____ | |
-
-

2. Storage Location:

- | | |
|-----------------------|------------------------|
| _____ Inside Building | _____ Outside Building |
| _____ Secured | |

3. Separation:

- | | |
|--------------------------------------|---------------------------|
| _____ All Materials | _____ One-hour Separation |
| _____ Compatible Wall/Partition | |
| _____ Separated by 20 Feet (6096 mm) | _____ Approved Cabinets |
| _____ Other: _____ | |
-
-

4. Secondary Containment:

- | | |
|------------------------|----------------------------|
| _____ Approved Cabinet | _____ Secondary Drums |
| _____ Tray | _____ Bermed, Coated Floor |
| _____ Vaulted Tank | _____ Double-wall Tank |
| _____ Other: _____ | |
-
-

5. Monitoring:

- | | |
|--------------------|------------------|
| _____ Visual | _____ Continuous |
| _____ Other: _____ | |

Attach specifications if necessary.

6. Monitoring Frequency:

- | | |
|--------------------|--------------|
| _____ Daily | _____ Weekly |
| _____ Other: _____ | |

Attach specifications if necessary.